


DRAX FITNESS
Product Specification











Drax Cardio Equipment







RX7700











KEY FEATURES





 Optional Attachable TV Brackets available

Speed	• 0.8 ~ 16 kph (0.1 kph increments) 0.5 ~ 10 mph
Incline	• 0 ~ 15 % (0.1% increments) Dual Axle System
Motor Duty	AC 3HP (Continuous Duty)
AC Motor Control	Fuji Inverter Control
Roller Diameter	• 100 mm / 4"
Running Space	• 1620 x x 520 mm (L x W) 64 inches x 20 inches
Max. User Weight	• 180 kg / 397 lbs
Product Weight	• 200 kg / 440 lbs
Display	3 color Dot Matrix
Console Display	Speed, Incline, Time, Distance, Calorie, Heart Rate
Electricity	• 220V (50/60Hz) 10 AMP Dedicated Outlet
Warranty	Warranty 3 yrs, Wear items 6 months
Packing Size	 2220 x 970 x 745 mm (LxWxH), 1.6 cbm, Net Weight 200Kg, Gross Weight 220Kg





RX7700



*

RX9200















- Floating Deck Technology Patented system provides force reduction to the exerciser. (Patents No. 10–1371607)
- Dual Incline System Patented system reduces the load on the incline motor by at least 50 %. This drastically extends the life of the incline motor and lifting mechanism and provides a very quiet system without any rolling while running. (Patents No. 10–0624647)
- Simple LED Console with programs and quick keys. Multiple data displays and LED workout profile graph
- Optional Attachable TV Brackets available

Speed	• 0.8 ~ 16 kph (0.1 kph increments) 0.5 ~ 10 mph
Incline	• 0 ~ 16 % (0.1% increments) Dual Axle System
Motor Duty	AC 3HP (Continuous Duty)
AC Motor Control	Fuji Inverter Control
Roller Diameter	• 100 mm / 4"
Running Space	• 1620 x x 520 mm (L x W) 64 inches x 20 inches
Max. User Weight	• 180 kg / 397 lbs
Product Weight	• 200 kg / 440 lbs
Display	• 3 color Dot Matrix
Console Display	Speed, Incline, Time, Distance, Calorie, Heart Rate
Exercise Program	• 12 Preset Programs
Heart Rate	• Polar Compatible Wireless Heart Rate, Hand Sensor Heart Rate Contacts
Electricity	• 220V (50/60Hz) 10 AMP Dedicated Outlet
Warranty	Warranty 3 yrs, Wear items 6 months
Packing Size	 2220 x 970 x 745 mm (LxWxH), 1.6 cbm, Net Weight 200Kg, Gross Weight 220Kg



NR20X















- Smart Device Mirroring Allows the exerciser to mirror their Smart device onto the 21.5 inch display screen.
 Supports both iOS and Android devices.
- Floating Deck Technology Patented system provides force reduction to the exerciser. (Patents No. 10–1371607)
- Dual Incline System Patented system reduces the load on the incline motor by at least 50 %. This drastically extends the life of the incline motor and lifting mechanism and provides a very quiet system without any rolling while running. (Patents No. 10-0624647)

Speed	• 0.8 ~ 20 kph (0.1 kph increments) 0.5 ~ 12.5 mph
Incline	• 0 ~ 16 % (0.1% increments) Dual Axle System
	•
Motor Duty	AC 5HP (Treadmill Duty)
AC Motor Control	Fuji Inverter Control
Roller Diameter	• 100 mm / 4"
Running Space	• 1620 x x 520 mm (L x W) 64 inches x 20 inches
Max. User Weight	• 180 kg / 397 lbs
Product Weight	• 200 kg / 440 lbs
	• 21.5 inches Display Panel (HDTV Supported)
Entertainment	Smartphone Display Mirroring to Monitor (Android & iOS)
Entertainment	 USB Charge port, Wired Headphone Jack, Bluetooth Connectivity (only for Wireless Headphone)
Internet Connectivity	Wired and Wireless Connectivity
Console Display	Speed, Incline, Time, Distance, Calorie, Heart Rate
Exercise Program	Time/Distance/Calorie Target Goal Programs
Heart Rate	• Hand Sensor Heart Rate Contacts, Compatible Wireless Heart Rate (Option)
Electricity	• 220V (50/60Hz) 10 AMP Dedicated Outlet
Warranty	• Warranty 3 yrs, Wear items 6 months, TV Panel 1 year
Product Size	• 2165 x 928 x 1645mm (LxWxH)
Packing Size	 2220 x 970 x 745 mm (LxWxH), 1.6 cbm, Net Weight 200Kg, Gross Weight 220Kg

NR25X
















- Smart Device Mirroring Allows the exerciser to mirror their Smart device onto the 21.5 inch display screen.
 Supports both iOS and Android devices.
- Floating Deck Technology Patented system provides force reduction to the exerciser. (Patents No. 10–1371607)
- Dual Incline System Patented system reduces the load on the incline motor by at least 50 %. This drastically extends the life of the incline motor and lifting mechanism and provides a very quiet system without any rolling while running. (Patents No. 10-0624647)

Speed	• 0.8 ~ 25 kph (0.1 kph increments) 0.5 ~ 15.5 mph
Incline	• 0 ~ 16 % (0.1% increments) Dual Axle System
Motor Duty	AC 5HP (Treadmill Duty)
AC Motor Control	Fuji Inverter Control
Roller Diameter	• 100 mm / 4"
Running Space	• 1620 x x 520 mm (L x W) 64 inches x 20 inches
Max. User Weight	• 180 kg / 397 lbs
Product Weight	• 200 kg / 440 lbs
	• 21.5 inches Display Panel (HDTV Supported)
Entertainment	• Smartphone Display Mirroring to Monitor (Android & iOS)
Entertainment	 USB Charge port, Wired Headphone Jack, Bluetooth Connectivity (only for Wireless Headphone)
Internet Connectivity	Wired and Wireless Connectivity
Console Display	• Speed, Incline, Time, Distance, Calorie, Heart Rate
Exercise Program	Time/Distance/Calorie Target Goal Programs
Heart Rate	• Hand Sensor Heart Rate Contacts, Compatible Wireless Heart Rate (Option)
Electricity	• 220V (50/60Hz) 10 AMP Dedicated Outlet
Warranty	• Warranty 3 yrs, Wear items 6 months, TV Panel 1 year
Product Size	• 2165 x 928 x 1645mm (LxWxH)
Packing Size	 2220 x 970 x 745 mm (LxWxH), 1.6 cbm, Net Weight 200Kg, Gross Weight 220Kg

NR30X















- Smart Device Mirroring Allows the exerciser to mirror their Smart device onto the 21.5 inch display screen.
 Supports both iOS and Android devices.
- Floating Deck Technology Patented system provides force reduction to the exerciser. (Patents No. 10–1371607)
- Dual Incline System Patented system reduces the load on the incline motor by at least 50 %. This drastically extends the life of the incline motor and lifting mechanism and provides a very quiet system without any rolling while running. (Patents No. 10-0624647)

Caral	0.0 251 1 (0.41 1 :) 0.5 455 1
Speed	• 0.8 ~ 25 kph (0.1 kph increments) 0.5 ~ 15.5 mph
Incline	• 0 ~ 22 % (0.1% increments) Dual Axle System
Motor Duty	AC 5HP (Treadmill Duty)
AC Motor Control	Fuji Inverter Control
Roller Diameter	• 100 mm / 4"
Running Space	• 1620 x x 520 mm (L x W) 64 inches x 20 inches
Max. User Weight	• 180 kg / 397 lbs
Product Weight	• 200 kg / 440 lbs
	• 21.5 inches Display Panel (HDTV Supported)
Entertainment	Smartphone Display Mirroring to Monitor (Android & iOS)
Littertailinent	 USB Charge port, Wired Headphone Jack, Bluetooth Connectivity (only for Wireless Headphone)
Internet Connectivity	Wired and Wireless Connectivity
Console Display	Speed, Incline, Time, Distance, Calorie, Heart Rate
Exercise Program	Time/Distance/Calorie Target Goal Programs
Heart Rate	• Hand Sensor Heart Rate Contacts, Compatible Wireless Heart Rate (Option)
Electricity	• 220V (50/60Hz) 10 AMP Dedicated Outlet
Warranty	Warranty 3 yrs, Wear items 6 months, TV Panel 1 year
Product Size	• 2165 x 928 x 1645mm (LxWxH)
Packing Size	 2220 x 970 x 745 mm (LxWxH), 1.6 cbm, Net Weight 200Kg, Gross Weight 220Kg

*

NR20XA















- Smart Device Mirroring Allows the exerciser to mirror their Smart device onto the 21.5 inch display screen.
 Supports both iOS and Android devices.
- Floating Deck Technology Patented system provides force reduction to the exerciser. (Patents No. 10–1371607)
- Dual Incline System Patented system reduces the load on the incline motor by at least 50 %. This drastically extends the life of the incline motor and lifting mechanism and provides a very quiet system without any rolling while running. (Patents No. 10–0624647)

Speed	• 0.8 ~ 20 kph (0.1 kph increments) 0.5 ~ 12.5 mph
Incline	• 0 ~ 16 % (0.1% increments) Dual Axle System
Motor Duty	AC 5HP (Treadmill Duty)
AC Motor Control	Fuji Inverter Control
Roller Diameter	• 100 mm / 4"
Running Space	 1620 x x 520 mm (L x W) 64 inches x 20 inches
Max. User Weight	• 180 kg / 397 lbs
Product Weight	• 200 kg / 440 lbs
	 21.5 inches Display Panel (HDTV Supported)
	 Touch Screen System with Android OS
Entertainment	• Smartphone Display Mirroring to Monitor (Android & iOS)
Littertailinent	 USB Charge port, Wired Headphone Jack, Bluetooth Connectivity (only for Wireless Headphone)
	Virtual Street Views of 8 European Cities
Internet Connectivity	Wired and Wireless Connectivity
Console Display	• Speed, Incline, Time, Distance, Calorie, Heart Rate
Exercise Program	• 12 Preset Programs
Heart Rate	 Hand Sensor Heart Rate Contacts, Compatible Wireless Heart Rate (Option)
Electricity	 220V (50/60Hz) 10 AMP Dedicated Outlet
Warranty	• Warranty 3 yrs, Wear items 6 months, TV Panel 1 year
Product Size	• 2165 x 928 x 1645mm (LxWxH)
Packing Size	 2220 x 970 x 745 mm (LxWxH), 1.6 cbm, Net Weight 200Kg, Gross Weight 220Kg

NR25XA















- Smart Device Mirroring Allows the exerciser to mirror their Smart device onto the 21.5 inch display screen.
 Supports both iOS and Android devices.
- Floating Deck Technology Patented system provides force reduction to the exerciser. (Patents No. 10-1371607)
- Dual Incline System Patented system reduces the load on the incline motor by at least 50 %. This drastically extends the life of the incline motor and lifting mechanism and provides a very quiet system without any rolling while running. (Patents No. 10–0624647)

Smood	0.0 - 25 kmb (0.1 kmb in arom anta) 0.5 - 15 5 mmb
Speed	• 0.8 ~ 25 kph (0.1 kph increments) 0.5 ~ 15.5 mph
Incline	• 0 ~ 16 % (0.1% increments) Dual Axle System
Motor Duty	AC 5HP (Treadmill Duty)
AC Motor Control	Fuji Inverter Control
Roller Diameter	• 100 mm / 4"
Running Space	• 1620 x x 520 mm (L x W) 64 inches x 20 inches
Max. User Weight	• 180 kg / 397 lbs
Product Weight	• 200 kg / 440 lbs
	 21.5 inches Display Panel (HDTV Supported)
	 Touch Screen System with Android OS
Entertainment	 Smartphone Display Mirroring to Monitor (Android & iOS)
Entertainment	 USB Charge port, Wired Headphone Jack, Bluetooth Connectivity (only for Wireless Headphone)
	 Virtual Street Views of 8 European Cities
Internet Connectivity	Wired and Wireless Connectivity
Console Display	• Speed, Incline, Time, Distance, Calorie, Heart Rate
Exercise Program	• 12 Preset Programs
Heart Rate	• Hand Sensor Heart Rate Contacts, Compatible Wireless Heart Rate (Option)
Electricity	 220V (50/60Hz) 10 AMP Dedicated Outlet
Warranty	• Warranty 3 yrs, Wear items 6 months, TV Panel 1 year
Product Size	• 2165 x 928 x 1645mm (LxWxH)
Packing Size	 2220 x 970 x 745 mm (LxWxH), 1.6 cbm, Net Weight 200Kg, Gross Weight 220Kg

NR20SXA















- SpeedSync Auto Speed Control Technology Patented system detects user position and automatically adjusts the treadmill speed without using buttons or the touch screen. As the exerciser moves forward the belt speeds up and as the user moves away from the console the belt speed is reduced. (Patents No. 10-0737394)
- Smart Device Mirroring Allows the exerciser to mirror their Smart device onto the 21.5 inch display screen. Supports both iOS and Android devices.
- Floating Deck Technology Patented system provides force reduction to the exerciser. (Patents No. 10-1371607)
- **Dual Incline System** Patented system reduces the load on the incline motor by at least 50 %. This drastically extends the life of the incline motor and lifting mechanism and provides a very quiet system without any rolling while running. (Patents No. 10-0624647)

Speed	• 0.8 ~ 20 kph (0.1 kph increments) 0.5 ~ 12.5 mph
Incline	• 0 ~ 16 % (0.1% increments) Dual Axle System
Motor Duty	AC 5HP (Treadmill Duty)
AC Motor Control	Fuji Inverter Control
Roller Diameter	• 100 mm / 4"
Running Space	• 1620 x x 520 mm (L x W) 64 inches x 20 inches
Max. User Weight	• 180 kg / 397 lbs
Product Weight	• 200 kg / 440 lbs
SPEED SYNC	 Recognizes user position and adjusts speed automatically
	 21.5 inches Display Panel (HDTV Supported)
	Touch Screen System with Android OS
Entertainment	• Smartphone Display Mirroring to Monitor (Android & iOS)
	 USB Charge port, Wired Headphone Jack, Bluetooth Connectivity (only for Wireless Headphone)
	 Virtual Street Views of 8 European Cities
Internet Connectivity	Wired and Wireless Connectivity
Console Display	• Speed, Incline, Time, Distance, Calorie, Heart Rate
Exercise Program	• 12 Preset Programs
Heart Rate	 Hand Sensor Heart Rate Contacts, Compatible Wireless Heart Rate (Option)
Electricity	 220V (50/60Hz) 10 AMP Dedicated Outlet
Warranty	• Warranty 3 yrs, Wear items 6 months, TV Panel 1 year
Safety	 Auto Sensor shuts off the treadmill when user is not detected
Product Size	• 2165 x 928 x 1645mm (LxWxH)
Packing Size	 2220 x 970 x 745 mm (LxWxH), 1.6 cbm, Net Weight 200Kg, Gross Weight 220Kg
Console Display Exercise Program Heart Rate Electricity Warranty Safety Product Size	 Touch Screen System with Android OS Smartphone Display Mirroring to Monitor (Android & id) USB Charge port, Wired Headphone Jack, Bluetooth Connectivity (only for Wireless Headphone) Virtual Street Views of 8 European Cities Wired and Wireless Connectivity Speed, Incline, Time, Distance, Calorie, Heart Rate 12 Preset Programs Hand Sensor Heart Rate Contacts, Compatible Wireless Heart Rate (Option) 220V (50/60Hz) 10 AMP Dedicated Outlet Warranty 3 yrs, Wear items 6 months, TV Panel 1 year Auto Sensor shuts off the treadmill when user is not detected 2165 x 928 x 1645mm (LxWxH) 2220 x 970 x 745 mm (LxWxH), 1.6 cbm,

NR25SXA















- Patented system detects user position and automatically adjusts the treadmill speed without using buttons or the touch screen. As the exerciser moves forward the belt speeds up and as the user moves away from the console the belt speed is reduced. (Patents No. 10-0737394)
- Smart Device Mirroring Allows the exerciser to mirror their Smart device onto the 21.5 inch display screen. Supports both iOS and Android devices.
- Floating Deck Technology Patented system provides force reduction to the exerciser. (Patents No. 10–1371607)
- Dual Incline System Patented system reduces the load on the incline motor by at least 50 %. This drastically extends the life of the incline motor and lifting mechanism and provides a very quiet system without any rolling while running. (Patents No. 10–0624647)

Speed	• 0.8 ~ 25 kph (0.1 kph increments) 0.5 ~ 15.5 mph
Incline	• 0 ~ 16 % (0.1% increments) Dual Axle System
Motor Duty	 AC 5HP (Treadmill Duty)
AC Motor Control	Fuji Inverter Control
Roller Diameter	• 100 mm / 4"
Running Space	• 1620 x x 520 mm (L x W) 64 inches x 20 inches
Max. User Weight	• 180 kg / 397 lbs
Product Weight	• 200 kg / 440 lbs
SPEED SYNC	 Recognizes user position and adjusts speed automatically
	 21.5 inches Display Panel (HDTV Supported)
	 Touch Screen System with Android OS
Entertainment	• Smartphone Display Mirroring to Monitor (Android & iOS)
Littertamment	 USB Charge port, Wired Headphone Jack, Bluetooth
	Connectivity (only for Wireless Headphone)
	 Virtual Street Views of 8 European Cities
Internet Connectivity	 Wired and Wireless Connectivity
Console Display	• Speed, Incline, Time, Distance, Calorie, Heart Rate
Exercise Program	• 12 Preset Programs
Heart Rate	 Hand Sensor Heart Rate Contacts, Compatible Wireless Heart Rate (Option)
Electricity	• 220V (50/60Hz) 10 AMP Dedicated Outlet
Liectricity	220V (30/00112) TO AIVII Dedicated Outlet
Warranty	 Warranty 3 yrs, Wear items 6 months, TV Panel 1 year
Safety	 Auto Sensor shuts off the treadmill when user is not detected
Product Size	• 2165 x 928 x 1645mm (LxWxH)
Packing Size	 2220 x 970 x 745 mm (LxWxH), 1.6 cbm, Net Weight 200Kg, Gross Weight 220Kg

Console of NR Series





Please note that most versions of AirServer(iPhone) do not support any DRM protected content. The AirServer Connect hardware has support for DRM protected content using cast from apps.

There are some limitations in that services offering DRM (Digital Rights Management) protected content. Certain streaming apps, such as but not limited to Netflix, Hulu, Apple TV+, Disney+, Amazon Prime Video, HBO Max, and most sports/TV apps, either use their custom protocol or prevent connections that are not originating from the sending device.

This a limitation set by the content providers. Unfortunately, this is not something within our control. We are looking into ways of implementing support for this in future versions of AirServer, but in the meantime, you should be able to stream content over mirroring in some cases.


https://support.airserver.com/support/solutions/articles/43000512407-some-streaming-apps-such-as-netflix-hulu-apple-tv-disney-hbo-do-not-work-with-airserver

대부분의 AirServer (아이폰 화면공유 프로그램) 버전은 DRM 보호 컨텐츠를 지원하지 않습니다. AirServer Connect 하드웨어는 앱에서 캐스트방식으로 DRM 보호 컨텐츠를 지원합니다. DRM(Digital Rights Management) 보호 컨텐츠를 제공하는 서비스들은 일부 제한이 있습니다. Netflix, Hulu, Apple TV+, Disney+, Amazon Prime Video, HBO Max 및 많은 스포츠/TV 앱들과 같은 특정 스트리밍 앱들은 자체 프로토콜을 사용하거나 또는 외부 장치에서 생성되지 않은 연결을 제한합니다. 이 제한은 컨텐츠 제공자에 의해 설정되었으므로 우리가 통제할 수 없습니다. 향후의 AirServer버전으로 이 지원을 구현할 수 있는 방법을 모색하겠지만, 그때까지는 일부 컨텐츠에 한해 미러링 연결이 가능할 것입니다.

*

My Mountain





- Mountain Climbing: Walk at up to a 50% incline for hiking and climbing simulation. Burn up 1.5 times more calories walking at mid to high incline compared to running on a flat surface. Low impact, high intensity exercise.
- -5 ~ 50% Incline: −5% decline for rehabilitation to 50% incline for high intensity training makes MyMountain a very diverse machine.
- Minimal Floor Space: Compact footprint saves floor space. 42" long and 20" wide total size.
- Walking Only: Can be used as a walking machine for athletes and older adults.

Speed	• 0.3 ~ 8 kph (0.1 kph increments) 0.18 ~ 5 mph
Incline	• -5 ~ 50 % (1% resolution)
Motor Duty	AC 2 HP (continuous duty)
AC Motor Control	Fuji Inverter Control
Roller Diameter	• 75 mm / 2.95"
Running Space	• 1070 x 510 mm (LxW) 42.1 x 20 inches
Max. User Weight	• 130 kg / 286.6 lbs
Product Weight	• 135 kg / 297.6 lbs
Display	3 color Dot Matrix
Console Display	• Speed, Incline, Time, Distance, Calorie, Heart Rate
Exercise Program	• 12 Preset Program,
Electricity	• 220V, 50/60Hz
Warranty	• 2 years. Running Belt 6 months
Product Size	• 1245 x 1049 x 1629 mm (LxWxH)
Packing Size	 1100 x 1200 x 650 mm (LxWxH), 0.85 cbm, Net Weight 135Kg, Gross Weight 145Kg

*


My Mountain















DRAXFIT+



- Walking or HIIT Training: It can change speeds faster than a motorized treadmill. Exerciser self regulates the speed by their stride and effort.
- Zero Electrical Costs: User powered machine is portable with integrated move bar and wheels for use inside or outside the gym.
- Burn More Calories: The Journal of Science and Medicine in Sport published a study in 2018 showing that self powered treadmills can burn up to 30% more calories than motor driven treadmills.
- Comfortable Curved Running Surface:
 The rubberized surface slat design reduces impact on the joints. The curve of the surface promote a forefoot strike instead of a heal strike for better running form.

Speed	• Self Powered
Roller Diameter	• 175 mm / 6.88"
Running Space	• 1640 x 430mm (LxW) 64.5" L x 16.9" W
Max. User Weight	• 180 kg / 397 lbs
Product Weight	• 125 kg / 275.6 lbs
Console Display	Speed, Time, Distance, Calorie, Heart Rate
Warranty	• 2 years
Product Size	• 1825 x 784 x 1608 mm (LxWxH)
Packing Size	 1880 x 820 x 560 mm (LxWxH), 0.94 cbm, Net Weight 125Kg, Gross Weight 135Kg

DRAXFIT+








DE6












- Low 7" step up height for easy accessibility
- Oversized foot plates with narrow spacing to ensure a comfortable workout
- Movement arms and stationary bars for total body or lower body only workouts
- Accessory Tray & Bottle Holder
- Transportation Wheels

Exercise Level	• 25 Exercise Level
Drive System	Hybrid Generator System
Max. User Weight	• 180 kg / 397 lbs
Product Weight	• 120 kg / 264 lbs
Stride Length	• 510 mm / 20"
Display	• DOT MATRIX
Console Display	Time, Distance, Calorie, Heart Rate
Heart Rate	• Polar Compatible Wireless Heart Rate, Hand Sensor Heart Rate Contacts
Warranty	Warranty 2 yrs, Wear items 6 months
Product Size	• 2120 x 610 x 1730 mm (LxWxH)
Packing Size	 2240 x 1110 x 690 mm (LxWxH), 1.65 cbm, Net Weight 120Kg, Gross Weight 130Kg



DE6X





- Smart Device Mirroring Allows the exerciser to mirror their Smart device onto the 15.6 inch display screen.
- Low 7" step up height for easy accessibility
- Oversized foot plates with narrow spacing to ensure a comfortable workout
- Movement arms and stationary bars for total body or lower body only workouts
- Accessory Tray & Bottle Holder
- Transportation Wheels

Exercise Level	• 25 Exercise Level
Drive System	Hybrid Generator System
Max. User Weight	• 180 kg / 397 lbs
Product Weight	• 120 kg / 264 lbs
Stride Length	• 510 mm / 20"
Display	• 15.6 inches LCD Screen
Console Display	Time, Distance, Calorie, Heart Rate
Heart Rate	• Polar Compatible Wireless Heart Rate, Hand Sensor Heart Rate Contacts
Electricity	• 220V, 50/60Hz (LCD display)
Warranty	Warranty 2 yrs, Wear items 6 months, TV Panel 1 year
Product Size	• 2120 x 610 x 1730 mm (LxWxH)
Packing Size	 2240 x 1110 x 690 mm (LxWxH), 1.65 cbm, Net Weight 120Kg, Gross Weight 130Kg



DE6A





- Smart Device Mirroring Allows the
 exerciser to mirror their Smart device
 onto the 15.6 inch display screen.
 Supports both iOS and Android devices.
- Low 7" step up height for easy accessibility
- Oversized foot plates with narrow spacing to ensure a comfortable workout
- Movement arms and stationary bars for total body or lower body only workouts
- Accessory Tray & Bottle Holder
- Transportation Wheels

Exercise Level	• 25 Exercise Level
Drive System	Hybrid Generator System
Max. User Weight	• 180 kg / 397 lbs
Product Weight	• 120 kg / 264 lbs
Stride Length	• 510 mm / 20"
Display	• 15.6 inches LCD Screen
Touch	Touch Screen (Capacitive type)
Console Display	Time, Distance, Calorie, Heart Rate
Heart Rate	• Polar Compatible Wireless Heart Rate, Hand Sensor Heart Rate Contacts
Electricity	• 220V, 50/60Hz (LCD display)
Warranty	• Warranty 2 yrs, Wear items 6 months, TV Panel 1 year
Product Size	• 2120 x 610 x 1730 mm (LxWxH)
Packing Size	 2240 x 1110 x 690 mm (LxWxH), 1.65 cbm, Net Weight 120Kg, Gross Weight 130Kg



TBR9000











- Easy Access: Step through design and handlebar for easy access
- Quick Controls: Quick change levels on handlebar
- Comfort: Contoured seat and back pad for comfortable ride
- Accessory Tray & Bottle Holder

Exercise Level	• 25 Exercise Level
Drive System	Hybrid Generator System
Max. User Weight	• 150 kg / 330 lbs
Product Weight	• 70 kg / 154 lbs
Display	• DOT MATRIX
Console Display	Time, Distance, Calorie, Heart Rate
Heart Rate	• Polar Compatible Wireless Heart Rate, Hand Sensor Heart Rate Contacts
Electricity	• 220V, 50/60Hz (LCD display)
Warranty	Warranty 2 yrs, Wear items 6 months
Product Size	• 1695 x 590 x 1396 mm (LxWxH)
Packing Size	 1730 x 610 x 845 mm (LxWxH), 0.89 cbm, Net Weight 70Kg, Gross Weight 80Kg



TBR9000









DX6R








- Smart Device Mirroring Allows the exerciser to mirror their Smart device onto the 15.6 inch display screen.
- Easy Access: Step through design and handlebar for easy access
- Quick Controls: Quick change levels on handlebar
- Comfort: Contoured seat and back pad for comfortable ride
- Accessory Tray & Bottle Holder

Exercise Level	• 25 Exercise Level
Drive System	Hybrid Generator System
Max. User Weight	• 150 kg / 330 lbs
Product Weight	• 70 kg / 154 lbs
Display	• 15.6 inches LCD Screen
Console Display	Time, Distance, Calorie, Heart Rate
Heart Rate	• Polar Compatible Wireless Heart Rate, Hand Sensor Heart Rate Contacts
Electricity	• 220V, 50/60Hz (LCD display)
Warranty	• Warranty 2 yrs, Wear items 6 months, TV Panel 1 year
Product Size	• 1695 x 590 x 1396 mm (LxWxH)
Packing Size	 1730 x 610 x 845 mm (LxWxH), 0.89 cbm, Net Weight 70Kg, Gross Weight 80Kg



DA6R








- Smart Device Mirroring Allows the exerciser to mirror their Smart device onto the 15.6 inch display screen.
 Supports both iOS and Android devices.
- Easy Access: Step through design and handlebar for easy access
- Quick Controls: Quick change levels on handlebar
- Comfort: Contoured seat and back pad for comfortable ride
- Accessory Tray & Bottle Holder

Exercise Level	• 25 Exercise Level
Drive System	Hybrid Generator System
Max. User Weight	• 150 kg / 330 lbs
Product Weight	• 70 kg / 154 lbs
Display	• 15.6 inches LCD Screen
Touch	Touch Screen (Capacitive type)
Console Display	Time, Distance, Calorie, Heart Rate
Heart Rate	 Polar Compatible Wireless Heart Rate, Hand Sensor Heart Rate Contacts
Electricity	• 220V, 50/60Hz (LCD display)
Warranty	Warranty 2 yrs, Wear items 6 months, TV Panel 1 year
Product Size	• 1695 x 590 x 1396 mm (LxWxH)
Packing Size	 1730 x 610 x 845 mm (LxWxH), 0.89 cbm, Net Weight 70Kg, Gross Weight 80Kg



TBU9000







- Easy Access: Step through design and handlebar for easy access
- Quick Controls: Quick change levels on handlebar
- Comfort: Contoured seat for comfortable ride
- Accessory Tray & Bottle Holder

Exercise Level	• 25 Exercise Level
Drive System	Hybrid Generator System
Max. User Weight	• 150 kg / 330 lbs
Product Weight	• 60 kg / 132 lbs
Display	• DOT MATRIX
Console Display	Time, Distance, Calorie, Heart Rate
Heart Rate	• Polar Compatible Wireless Heart Rate, Hand Sensor Heart Rate Contacts
Electricity	• 220V, 50/60Hz (LCD display)
Warranty	Warranty 2 yrs, Wear items 6 months
Product Size	• 1132 x 639 x 1521 mm (LxWxH)
Packing Size	 1150 x 610 x 1015 mm (LxWxH), 0.89 cbm, Net Weight 60Kg, Gross Weight 70Kg



TBU9000








DX6U







- Smart Device Mirroring Allows the exerciser to mirror their Smart device onto the 15.6 inch display screen.
- Easy Access: Step through design and handlebar for easy access
- Quick Controls: Quick change levels on handlebar
- Comfort: Contoured seat for comfortable ride
- Accessory Tray & Bottle Holder

Exercise Level	• 25 Exercise Level
Drive System	Hybrid Generator System
Max. User Weight	• 150 kg / 330 lbs
Product Weight	• 60 kg / 132 lbs
Display	• 15.6 inches LCD Screen
Console Display	Time, Distance, Calorie, Heart Rate
Heart Rate	• Polar Compatible Wireless Heart Rate, Hand Sensor Heart Rate Contacts
Electricity	• 220V, 50/60Hz (LCD display)
Warranty	Warranty 2 yrs, Wear items 6 months, TV Panel 1 year
Product Size	• 1132 x 639 x 1521 mm (LxWxH)
Packing Size	 1150 x 610 x 1015 mm (LxWxH), 0.89 cbm, Net Weight 60Kg, Gross Weight 70Kg



DA6U







- Smart Device Mirroring Allows the exerciser to mirror their Smart device onto the 15.6 inch display screen.
 Supports both iOS and Android devices.
- Easy Access: Step through design and handlebar for easy access
- Quick Controls: Quick change levels on handlebar
- Comfort: Contoured seat for comfortable ride
- Accessory Tray & Bottle Holder

Exercise Level	• 25 Exercise Level
Drive System	Hybrid Generator System
Max. User Weight	• 150 kg / 330 lbs
Product Weight	• 60 kg / 132 lbs
Display	• 15.6 inches LCD Screen
Touch	Touch Screen (Capacitive type)
Console Display	Time, Distance, Calorie, Heart Rate
Heart Rate	• Polar Compatible Wireless Heart Rate, Hand Sensor Heart Rate Contacts
Electricity	• 220V, 50/60Hz (LCD display)
Warranty	• Warranty 2 yrs, Wear items 6 months, TV Panel 1 year
Product Size	• 1132 x 639 x 1521 mm (LxWxH)
Packing Size	 1150 x 610 x 1015 mm (LxWxH), 0.89 cbm, Net Weight 60Kg, Gross Weight 70Kg

DSC6A DRAX Stair Climber







Exercise Level	• 25 Exercise Level
Drive System	ECB Control with FlyWheel
Max. User Weight	• 180 kg / 397 lbs
Product Weight	• 146 kg / 320 lbs
Display	• 15.6 inches LCD Screen
Touch	Touch Screen (Capacitive type)
Console Display	Time, Distance, Calorie, Heart Rate
Heart Rate	• Polar Compatible Wireless Heart Rate, Hand Sensor Heart Rate Contacts
Electricity	• 220V, 50/60Hz (LCD display)
Warranty	• Warranty 2 yrs, Wear items 6 months, TV Panel 1 year
Step Size	• Horizon: 301x457, Vertical: 226x457
Product Size	• 830 x 1594 x 2090 mm (LxWxH)
Packing Size	 1035 x 1507 x 1350 mm (LxWxH), 1.74 cbm, Net Weight 135Kg, Gross Weight 145Kg

DSC6X DRAX Stair Climber








Exercise Level	• 25 Exercise Level
Drive System	ECB Control with FlyWheel
Max. User Weight	• 180 kg / 397 lbs
Product Weight	• 146 kg / 320 lbs
Display	• 15.6 inches LCD Screen
Entertainment	Digital TV Tuner
Console Display	Time, Distance, Calorie, Heart Rate
Heart Rate	• Polar Compatible Wireless Heart Rate, Hand Sensor Heart Rate Contacts
Electricity	• 220V, 50/60Hz (LCD display)
Warranty	Warranty 2 yrs, Wear items 6 months, TV Panel 1 year
Step Size	• Horizon: 301x457, Vertical: 226x457
Product Size	• 830 x 1594 x 2090 mm (LxWxH)
Packing Size	 1035 x 1507 x 1350 mm (LxWxH), 1.74 cbm, Net Weight 135Kg, Gross Weight 145Kg



Console of

DE6X, DE6A,
DSC6X, DSC6A,
DX6R, DA6R,
DX6U, DA6U



POWER TOWER

















- Total Body climbing machine with a patented
 Continuously Variable Transmission (CVT). Twist
 Grip resistance mechanism for quick changes.
 Smooth rope and chain drive system.
- Adjustable movement arms, stationary arms and foot plates for optimal fit and variety of exercises. Exercises range from climbing to pushdowns and deadlifts.
- Battery Powered Console with workout data.
 Transport Wheels. Requires no electricity and is portable.

Exercise Level	CVT (Continuously Variable Transmission) with Twist Grip
Drive System	Rope & Chain Hybrid System
Max. User Weight	• 395 lbs (180 kg)
Product Weight	• 465 lbs (210 kg)
Between Steps	• 10.0 inches (255 mm)
Movement Variability	• 25.8 inches (657 mm)
Console Display	Time, Distance, Calorie, RPM
Electricity	Self Powered
Warranty	Warranty 2 yrs, Wear items 6 months
Product Size	• 50.1 x 34.4 x 93.3 inches (1285 x 874 x 2370 mm) (LxWxH)
Packing	Full Assembly Packing



POWER TOWER





Power Tower

feel breathe live

Aerobic and HIIT Session #1

Get Moving

6:00

Full climbing mode, start easy with little to no resistance. Every minute add resistance for 6 min - by the 5th min you have full load on gearing

Vary stride length often from long and full to short and fast

1st Set - Aerobic

10:00

1 min at tough pace, Total body Climbing mode

1 min resting

5 sets

Aim is NOT to overcook yourself but to see steady increase on your avg.power.

Start off with a perceived effort of 6/10 and steady let it get to 8/10

2nd Set - HIIT

10 sec all out Total Body Climbing mode 2-3 min rest

12:00

4-5 sets

Aim is to see how high you can push your power, again we want to measure your avg.power.

Set the console for 10sec work 2:30 rest - don't

underestimate these intervals! You have to give it your all.

3rd Set - Aerobic cool down

2 min Stepping mode

1 min Front Leaning Rest 9:00

2 min Press/Pull mode

1 min Glute Bridge Hold

2 min Hang Pull/Push Press mode

1 min Back Extension hold

Easy flowing/cool down set, where we challenge the posture and focus on stabalising muscles.









Power Tower

Strength Endurance Session #2

Get Moving

SYNERGY

feel breathe live

8 min

2 min Full climbing mode

2 min Hang Pull/Push Press

2 min Chestpress/row

2 min Deadlift

1st Set - Strength endurance

12:00

8:00

1 min Stepping Mode, moderate to tough gear 30 sec rest and reset

1 min Press/Pull down, moderate to tough gear

30 sec rest and reset

1 min Hang Pull/Push Press

30 sec rest and reset

1 min Chestpress/Row 30 sec rest and reset

1 min Deadlift/Squat

rest 1 min then go back up again

Aim to maintain good posture and focus on the working muscles.

You can record calories and compare the total on your second run through but good sound movement is more important

2nd Set - Aerobic

50 cal at Total Body Climb Mode 40 cal at Stepping Mode 30 cal at Press/Pull down Mode

20 cal at Deadlift/Squat Mode 10 cal at One arm row each side Time cap of 12:00 min

Aim is aerobic training, don't go too hard but hold a sustainable pace.

Record Total time it takes you - use it for comparison...

Power Tower



Aerobic + Anaerobic Session #3

Get Moving

in 8 min or less accumulate 100/80 (female) in the following 8:00 3 modes;

Stepping

Hang Pull/Push Press

Deadlift

You must change mode every 90 sec. Aim is to achieve a full body warm up, not wear yourself out.

1st Set - VO2 Training

90 sec hard 90 sec rest

x 3 sets rest 3-5 min

60 sec harder

60 sec rest

x 3 sets 30 sec hardest

30 sec rest

x 3 sets

Hard means it is something you know you can't sustain for a long period. The aim is to hold power consistent over the 90 sec and as before, rather start easy and increase output/round, than start too fast and have to give up.

2nd Set - Aerobic Training

10:00

15:00

EMOM x 10 - Every minute on the minute 1st: 40 sec moderate effort Total Body Climb Mode 2nd: 40 sec FLR/Glute Bridge Hold/Back Extension Hold

Aerobic training with posture challenging + stabilisers. Go reasonable hard for the 40 sec - try to recover on the 40 sec static hold.












DESIGNED BY SCIENCE



Drax Strength Equipment - TWMA Series





TWMA 101 Seated Leg Press

- 2" x 4" Square Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Solid Steel Weight Plates, Hard Chrome guides rods, Low Friction bushings
- Leg Press Seat Carriage roller wheels with sealed bearing glide on oversized guide rods
- Angled Seat Back reduces spine compression
- Textured oversized footplate for a variety of foot placements
- Full Weight Stack Shrouds
- Dimensions: 1170 x 1899 x 1747 mm (L x W x H) 74.7" L x 46" W x 68.7" H
- Machine Weight: 210Kg / 463 lbs
- Standard Weight Stack: 140 kg / 308 lbs



TWMA 102 Leg Extension

- 2" x 4" Square Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Solid Steel Weight Plates, Hard Chrome guides rods, Low Friction bushings
- 5 Start Range of Motion Adjustments
- All adjustments made from the user seated position
- Counterbalanced for lighter starting weight
- Full Weight Stack Shrouds
- Dimensions: 1055 x 1206 x 1542 mm (L x W x H) 41.5" L x 47.4" W x 60.7" H
- Machine Weight: 200Kg / 441 lbs
- Standard Weight Stack: 100 kg / 220 lbs (Optional Max Stack Weight: 140 kg / 308 lbs)



TWMA 103 Seated Leg Curl

- 2" x 4" Square Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Solid Steel Weight Plates, Hard Chrome guides rods, Low Friction bushings
- 5 Start Range of Motion Adjustments
- All adjustments made from the user seated position
- Adjustable Thigh hold down pad
- Full Weight Stack Shrouds
- Dimensions: 1051 x 1209 x 1552 mm (L x W x H) 41.3" L x 47.5" W x 61.1" H
- Machine Weight: 200Kg / 441 lbs
- Standard Weight Stack: 100 kg / 220 lbs (Optional Max Stack Weight: 140 kg / 308 lbs)



TWMA 103-1 Lying Leg Curl

- 2" x 4" Square Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Solid Steel Weight Plates, Hard Chrome guides rods, Low Friction bushings
- Adjustable Ankle Pad
- Angled Pad design isolates Hamstrings and reduces Lower Back stress
- Full Weight Stack Shrouds
- Dimensions: 980 x 1653 x 1552 mm (L x W x H) 38.5" L x 65" W x 61.1" H
- Machine Weight: 200Kg / 441 lbs
- Standard Weight Stack: 100 kg / 220 lbs (Optional Max Stack Weight: 140 kg / 308 lbs)



TWMA 104 Hip Adductor

- 2" x 4" Square Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Solid Steel Weight Plates, Hard Chrome guides rods, Low Friction bushings
- Comfortable Knee Pads & Foot Position
- 13 Start Range Adjustments made from the user position
- Front weight stack design for easy weight adjustment and privacy
- Full Weight Stack Shrouds
- Dimensions: 696 x 1542 x 1552 mm (L x W x H) 27.4" L x 60.7" W x 61.1" H
- Machine Weight: 200Kg / 441 lbs
- Standard Weight Stack: 100 kg / 220 lbs (Optional Max Stack Weight: 140 kg / 308 lbs)



TWMA 105 Rotary Hip & Glute

- 2" x 4" Square Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Solid Steel Weight Plates, Hard Chrome guides rods, Low Friction bushings
- Adjustable platform and roller pad for proper alignment
- Start range of motion for all movements
- Design allows four key user positions for lateral, anterior and posterior exercises
- Full Weight Stack Shrouds
- Dimensions: 961 x 1610 x 1792 mm (L x W x H) 37.8" L x 63.3" W x 70.5" H
- Machine Weight: 260Kg / 573 lbs
- Standard Weight Stack: 100 kg / 220 lbs (Optional Max Stack Weight: 140 kg / 308 lbs)



TWMA 107 Hip Abductor

- 2" x 4" Square Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Solid Steel Weight Plates, Hard Chrome guides rods, Low Friction bushings
- Comfortable Knee Pads & Foot Position
- 13 Start Range Adjustments made from the user position
- Front weight stack design for easy weight adjustment and privacy
- Full Weight Stack Shrouds
- Dimensions: 696 x 1524 x 1542 mm (L x W x H) 27.4" L x 60" W x 60.7" H
- Machine Weight: 200Kg / 441 lbs
- Standard Weight Stack: 100 kg / 220 lbs (Optional Max Stack Weight: 140 kg / 308 lbs)



TWMA 109 Hip Ad-Abductor Dual

- 2" x 4" Square Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Solid Steel Weight Plates, Hard Chrome guides rods, Low Friction bushings
- Comfortable Knee Pads & Foot Position
- 13 Start Range Adjustments made from the user position
- Front weight stack design for easy weight adjustment and privacy
- Full Weight Stack Shrouds
- Dimensions: 696 x 1454 x 1555 mm (L x W x H) 27.4" L x 57.2" W x 61.2" H
- Machine Weight: 200Kg / 441 lbs
- Standard Weight Stack: 100 kg / 220 lbs (Optional Max Stack Weight: 140 kg / 308 lbs)



TWMA 201 Abdominal Crunch

- 2" x 4" Square Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Solid Steel Weight Plates, Hard Chrome guides rods, Low Friction bushings
- Counterbalanced for lighter starting weight
- Three foot positions increase difficulty and isolate different muscles
- Full Weight Stack Shrouds
- Dimensions: 922 x 1565 x 1552 mm (L x W x H) 36.2" L x 61.6" W x 61.1" H
- Machine Weight: 190Kg / 419 lbs
- Standard Weight Stack: 100 kg / 220 lbs (Optional Max Stack Weight: 140 kg / 308 lbs)



TWMA 202 Back Extension

- 2" x 4" Square Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Solid Steel Weight Plates, Hard Chrome guides rods, Low Friction bushings
- Adjustable starting position changes range of motion
- Three foot positions for proper fit for users height
- Angled design and lumbar roller pad for proper fit and eliminates the need for a hold down device
- Full Weight Stack Shrouds
- Dimensions: 962 x 1247 x 1565 mm (L x W x H) 37.8" L x 49" W x 61.6" H
- Machine Weight: 190Kg / 419 lbs
- Standard Weight Stack: 100 kg / 220 lbs (Optional Max Stack Weight: 140 kg / 308 lbs)



TWMA 204 Rotary Torso

- 2" x 4" Square Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Solid Steel Weight Plates, Hard Chrome guides rods, Low Friction bushings
- Adjustable staring positions changes range of motion
- Upper torso rotation while seat and knee pads stabilize the lower body
- Full Weight Stack Shrouds
- Dimensions: 1198 x 1009 x 1552 mm (L x W x H) 47.1" L x 39.7" W x 61.1" H
- Machine Weight: 175Kg / 385 lbs
- Standard Weight Stack: 100 kg / 220 lbs (Optional Max Stack Weight: 140 kg / 308 lbs)



TWMA 301 Chest Press

- 2" x 4" Square Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Solid Steel Weight Plates, Hard Chrome guides rods, Low Friction bushings
- 5 Adjustable start positions
- Easy seat adjustment ratcheting system
- Easy entry design
- Full Weight Stack Shrouds
- Dimensions: 1531 x 1041 x 1552 mm (L x W x H) / 60.2" L x 40.9" W x 61.1" H
- Machine Weight: 190Kg / 419 lbs
- Standard Weight Stack: 100 kg / 220 lbs (Optional Max Stack Weight: 140 kg / 308 lbs)



TWMA 302 Shoulder Press

- 2" x 4" Square Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Solid Steel Weight Plates, Hard Chrome guides rods, Low Friction bushings
- Counterbalanced for lighter starting weight
- Horizontal & Neutral Grip positions
- Easy seat adjustment ratcheting system
- Easy entry design
- Full Weight Stack Shrouds
- Dimensions: 1406 x 1426 x 1552 mm (L x W x H) 55.3" L x 56.1" W x 61.1" H
- Machine Weight: 190Kg / 419 lbs
- Standard Weight Stack: 100 kg / 220 lbs (Optional Max Stack Weight: 140 kg / 308 lbs)



TWMA 303 Low Cable Row

- 2" x 4" Square Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Solid Steel Weight Plates, Hard Chrome guides rods, Low Friction bushings
- Fixed pulley low cable row
- Angled seat and footplates for bio mechanically correct position
- Full Weight Stack Shrouds
- Dimensions: 890 x 2180 x 2266 mm (L x W x H) 35" L x 85.8" W x 89.2" H
- Machine Weight: 180Kg / 397 lbs
- Standard Weight Stack: 100 kg / 220 lbs (Optional Max Stack Weight: 140 kg / 308 lbs)



TWMA 305 Lat Pull Down

- 2" x 4" Square Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Solid Steel Weight Plates, Hard Chrome guides rods, Low Friction bushings
- Adjustable round hold down pads for stability
- Full Weight Stack Shrouds
- Dimensions: 1180 x 1430 x 2267 mm (L x W x H) 46.4" L x 56.2" W x 89.2" H
- Machine Weight: 170Kg / 374 lbs
- Standard Weight Stack: 100 kg / 220 lbs (Optional Max Stack Weight: 140 kg / 308 lbs)



TWMA 306 Butter Fly (Pec Fly)

- 2" x 4" Square Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Solid Steel Weight Plates, Hard Chrome guides rods, Low Friction bushings
- Adjustable staring range of motion
- Arm Pad and Handle Bar Pivot adjusts to the users path of motion
- Easy seat adjustment ratcheting system
- Full Weight Stack Shrouds
- Dimensions: 976 x 1364 x 2102 mm (L x W x H) 38.4" L x 53.7" W x 82.7" H
- Machine Weight: 185Kg / 408 lbs
- Standard Weight Stack: 100 kg / 220 lbs (Optional Max Stack Weight: 140 kg / 308 lbs)



TWMA 308 Assist Chin/Dip

- 2" x 4" Square Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Solid Steel Weight Plates, Hard Chrome guides rods, Low Friction bushings
- Knee Pad body position for assisted movements folds under for body weight movements
- Multi Grip Chin Up Handles
- Dip Bars adjust in width for user size and muscle isolation
- Full Weight Stack Shrouds
- Dimensions: 1138 x 1284 x 2169 mm (L x W x H) 44.8" L x 50.5" W x 85.3" H
- Machine Weight: 180Kg / 397 lbs
- Standard Weight Stack: 75 kg / 165 lbs



TWMA 309 Arm Curl

- 2" x 4" Square Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Solid Steel Weight Plates, Hard Chrome guides rods, Low Friction bushings
- Counterbalanced for lighter starting weight
- Angled Arm Pad & Movement Arm for Bicep Isolation
- Easy seat adjustment ratcheting system
- Full Weight Stack Shrouds
- Dimensions: 1063 x 1306 x 1552 mm (L x W x H) 41.8" L x 51.4" W x 61.1" H
- Machine Weight: 170Kg / 375 lbs
- Standard Weight Stack: 100 kg / 220 lbs (Optional Max Stack Weight: 140 kg / 308 lbs)



TWMA 310 Pec Fly & Rear Delt

- 2" x 4" Square Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Solid Steel Weight Plates, Hard Chrome guides rods, Low Friction bushings
- Allows for forward Pec Fly & rearward Rear Delt
- Adjustable staring range of motion
- Arm Handle Bar Pivot adjusts to the users path of motion
- Easy seat adjustment ratcheting system
- Full Weight Stack Shrouds
- Dimensions: 1419 x 1286 x 2107 mm (L x W x H) 55.8" L x 50.6" W x 83" H
- Machine Weight: 185Kg / 407 lbs
- Standard Weight Stack: 100 kg / 220 lbs (Optional Max Stack Weight: 140 kg / 308 lbs)



TWMA 311 Seated Row

- 2" x 4" Square Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Solid Steel Weight Plates, Hard Chrome guides rods, Low Friction bushings
- Multiple handle positions allow for upper back and middle back movement
- Chest pad adjusts for user arm length
- Easy seat adjustment ratcheting system
- Full Weight Stack Shrouds
- Dimensions: 858 x 1288 x 1940 mm (L x W x H) 33.7" L x 50.7" W x 76.3" H
- Machine Weight: 180Kg / 397 lbs
- Standard Weight Stack: 100 kg / 220 lbs (Optional Max Stack Weight: 140 kg / 308 lbs)



TWMA 401 Cable Cross Over

- 2" x 4" Square Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Solid Steel Weight Plates, Hard Chrome guides rods, Low Friction bushings
- Adjustable height pulley adjustments with single hand design
- Multi grip chin up handles
- Rear Weight Stack Shrouds
- Dimensions: 3505 x 1180 x 2370 mm mm (L x W x H) 138" L x 46.4" W x 93.3" H
- Machine Weight: 60Kg / 1,014 lbs
- Standard Weight Stack : 2 EA x 100 kg / 220 lbs



TWMA 402 Dual Pulley


- 2" x 4" Square Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Solid Steel Weight Plates, Hard Chrome guides rods, Low Friction bushings
- Adjustable height pulley adjustments with single hand design
- 1:4 Lifting Ratio allows for lighter starting weights and high speed athletic movements
- Multi grip chin up handles
- Full Weight Stack Shrouds
- Dimensions: 1623 x 1079 x 2340 mm (L x W x H) 63.8" L x 42.4" W x 92.1" H
- Machine Weight: 500Kg / 1,102 lbs
- Standard Weight Stack : 2 EA x 140 kg / 308 lbs




Standard Strength Equipment Colors

Warranty 2 yrs, Wear items 6 months











Drax Free Weight Equipment - TWF Series





TWF 104 Plated Loaded Flat Bench

- 2" x 4" Oval Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Long seat allows you to exercise regardless of height
- Horizontal Flat Bench design
- Independent Iso lateral arm movements
- Dimensions: 1615 x 1370 x 946 mm (L x W x H) 63.5" L x 54" W x 37.2" H
- Machine Weight: 90 Kg / 198 lbs



TWF 105 Plated Loaded Incline Bench

- 2" x 4" Oval Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Independent Iso lateral arm movements
- Adjustable Incline Bench angle
- Adjustable Seat Height
- Dimensions: 1605 x 1330 x 1150 mm (L x W x H) 63.1" L x 52.3" W x 45.2" H
- Machine Weight: 100 Kg / 220 lbs





TWF 106 Plated Loaded Decline Bench

- 2" x 4" Oval Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Independent Iso lateral arm movements
- Adjustable Incline Bench angle
- Dimensions: 2011 x 1359 x 938 mm (L x W x H) 79" L x 53.5" W x 37" H
- Machine Weight: 100 Kg / 220 lbs



TWF 201 Flat Bench

- 2" x 4" Oval Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Flat Bench for a variety of exercises
- Dimensions: 1170 x 780 x 425 mm (L x W x H) 46" L x 30" W x 16.7" H
- Machine Weight: 13 Kg / 28.6 lbs



TWF 202 Olympic Flat Bench

- 2" x 4" Oval Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Angled bar rack design for easy lift off and spotter access
- 2 Lift off positions on hard chrome racks protect paint finish
- Optional Weight Storage (sold separately)
- Dimensions: 1253 x 1280 x 1258 mm (L x W x H) 49.3" L x 50.3" W x 49.5" H
- Machine Weight: 68 Kg / 150 lbs



TWF 203 Multi-Adjustable Bench

- 2" x 4" Oval Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Single point adjustment changes seat back and seat pad simultaneously
- Adjusts from 0-80 degrees
- Transport handles and wheels for portability
- Dimensions: 1347 x 780 x 454 mm (L x W x H) 53" L x 30.7" W x 17.8" H
- Machine Weight: 35 Kg / 77 lbs



TWF 204 Olympic Incline Bench


- 2" x 4" Oval Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Angled bar rack design for easy lift off and spotter access
- 2 Lift off positions on hard chrome racks protect paint finish
- Optional Weight Storage (sold separately)
- Dimensions: 1501 x 1297 x 1397 mm (L x W x H) 59" L x 51" W x 55" H
- Machine Weight: 70 Kg / 154 lbs



TWF 205 Olympic Decline Bench

- 2" x 4" Oval Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Angled bar rack design for easy lift off and spotter access
- 2 Lift off positions on hard chrome racks protect paint finish
- Optional Weight Storage (sold separately)
- Dimensions: 1543 x 1296 x 1256 mm (L x W x H) 60.7" L x 51" W x 49.4" H
- Machine Weight: 68 Kg / 150 lbs





TWF 206 Utility Bench

- 2" x 4" Oval Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- 80 degree angles backrest
- Open footprint design for easy access
- Dimensions: 890 x 660 x 898 mm (L x W x H) 35" L x 26" W x 35.3" H
- Machine Weight: 23 Kg / 50 lbs



TWF 209 Adjustable Decline Bench

- 2" x 4" Oval Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Adjustable angled pad
- Comfortable Roller pad design
- Assist handle for easy access and reverse leg raise movements
- Transport handle and wheels for portability
- Dimensions: 1531 x 780 x 871 mm (L x W x H) 60.2" L x 30.7" W x 34.2" H
- Machine Weight: 45 Kg / 99.2 lbs



TWF 210 Supine Olympic Bench

- 2" x 4" Oval Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Angled bar rack design for easy lift off and spotter access
- 2 Lift off positions on hard chrome racks protect paint finish
- Dimensions: 1745 x 1740 x 1258 mm (L x W x H) 68.7" L x 68.5" W x 49.5" H
- Machine Weight: 72 Kg / 158.7 lbs



TWF 211 Standing Arm Curl

- 2" x 4" Oval Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Two pad angles provide different arm curl positions
- Bar rests have protective guards to protect bars and paint finish
- Dimensions: 900 x 1200 x 1086 mm (L x W x H) 35.4" L x 47.2" W x 42.7" H
- Machine Weight: 50 Kg / 110 lbs



TWF 213 Back Hyper Extension Bench

- 2" x 4" Oval Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Adjustable angle increases or decreases the difficulty
- Adjustable pad height for proper user fit
- Dimensions: 1266 x 835 x 712 mm (L x W x H) 49.8" L x 32.8" W x 28" H
- Machine Weight: 35 Kg / 77 lbs





- 2" x 4" Oval Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Footplate guards protect surface and increase foot traction
- Floating straight resistance bar allows for full range of motion
- Dimensions: 1854 x 761 x 392 mm (L x W x H) 73" L x 30" W x 15.4" H
- Machine Weight: 20 Kg / 44 lbs



TWF 302 Power Rack

- 2" x 4" Square Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Notched uprights provide secure and quick adjustments for bar catches and safety rails
- Includes 8 weight storage horns
- Multi Grip Chin Up handles
- Straight Chin Up Bar
- Includes 2 ea Vertical Bar Storage Hooks and Band Hooks
- Dimensions: 1916 x 1740 x 2316 mm (L x W x H) 75.4" L x 68.5" W x 91.1" H
- Machine Weight: 150 Kg / 330 lbs
- Max User Weight: 159 Kg / 350 lbs
- Max Training Weight: 225 Kg / 496 lbs



TWF 303 Olympic Squat Rack

- 2" x 4" Oval Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Olympic squat rack with 5 fixed lift off positions
- Includes 8 weight storage horns
- Fixed safety rails
- Dimensions: 1724 x 1755 x 1889 mm (L x W x H) 67.8" L x 69" W x 74.3" H
- Machine Weight: 110 Kg / 242.5 lbs





TWF 304 VKR Dip & Chin

- 2" x 4" Oval Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Angled pad design for comfort and proper body position
- Multi Grip Chin Up & Dip Handles
- Assist Step Up braces
- Dimensions: 1254 x 1128 x 2284 mm (L x W x H) 49.3" L x 44.4" W x 89.8" H
- Machine Weight: 64 Kg / 141 lbs



TWF 305 Multi Rack

- 2" x 4" Square Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Multi rack design incorporates Olympic Half Rack and Smith Machine
- Notched uprights provide secure and quick adjustments for bar catches and safety rails
- Includes 12 weight storage horns
- Multi Grip Chin Up handles
- Straight Chin Up Bar
- Includes 2 ea Vertical Bar Storage Hooks and Band Hooks
- Linear bearing counter balanced bar with 10 lbs starting resistance
- Dimensions: 2024 x 2209 x 2334 mm (L x W x H) 79.6" L x 86.9" W x 91.8" H
- Machine Weight: 180 Kg / 396.9 lbs
- Max User Weight: 159 Kg / 350 lbs
- Max Training Weight: 225 Kg / 496 lbs



TWF 308 Half Rack

- 2" x 4" Square Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Notched uprights provide secure and quick adjustments for bar catches and safety rails
- Includes 12 weight storage horns
- Multi Grip Chin Up handles
- Includes 2 ea Vertical Bar Storage Hooks and Band Hooks
- Dimensions: 1466 x 1807 x 2327 mm (L x W x H) 57.7" L x 71.1" W x 91.6" H
- Machine Weight: 120 Kg / 264.6 lbs
- Max User Weight: 159 Kg / 350 lbs
- Max Training Weight: Bolted to Floor 225 Kg / 496 lbs /Free Standing 145 Kg / 320 lbs





TWF 402 2-Tier Dumbell Rack


- 2" x 4" Oval Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- 10 pr 2 Tier design with protective saddles
- Dimensions: 598 x 2295 x 825 mm (L x W x H) 23.5" L x 90.3" W x 32.4" H
- Machine Weight: 35 Kg / 77 lbs





- 2" x 4" Oval Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- 6 Weight Horns on free standing frame
- Dimensions: 750 x 595 x 926 mm (L x W x H) 29.5" L x 23.4" W x 36.4" H
- Machine Weight: 22 Kg / 48.5 lbs





TWF 404 Fixed Barbell Rack

- 2" x 4" Oval Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- A Frame design holds 10 fixed barbells
- Hard chrome storage pegs and protective wear guards on frame
- Dimensions: 1020 x 840 x 1392 mm (L x W x H) 40.1" L x 33" W x 54.8" H
- Machine Weight: 30 Kg / 66 lbs





TWF 406 Ab Twist

- 2" x 4" Oval Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Standing twist movement on rotational footplate
- Seated position for stationary rotation assist
- Dimensions: 1305 x 660 x 1276 mm (L x W x H) 51.3" L x 26" W x 50.2" H
- Machine Weight: 30 Kg / 66 lbs



TWF 501 Linear Leg Press

- 2" x 4" Oval Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Heavy Duty carriage travels on linear bearings over guide rods
- Adjustable back pad and large footplate
- Assist handle for easy entry and exit
- Two adjustable start positions
- 4 Olympic Weight Storage Horns
- Dimensions: 2432 x 1411 x 1342 mm (L x W x H) 95.7" L x 55.5" W x 52.8" H.
- Machine Weight: 178 Kg / 392 lbs
- Max Training Weight: 650 Kg / 1,433 lbs



TWF 701 Smith Machine

- 2" x 4" Square Tubing 9 Gauge Steel
- Powder Coated Paint Finish with Clear Gloss Finish
- Linear bearing counter balanced Smith Machine
- Adjustable starting positions and safety stops
- Linear bearing counter balanced bar with 10 lbs starting resistance
- 7 degree angle for proper path of motion for presses and squats
- Dimensions: 1267 x 2215 x 2240 mm (L x W x H) 50" L x 87.2" W x 88" H
- Machine Weight: 160 Kg / 353 lbs
- Max Training Weight: 240 Kg / 530 lbs



DRAX PlatesCPU. 1.25, 2.5, 5, 7.5, 10, 15, 20, 25kg



DRAX DumbbellsCPU. 1,2,3,4,5,6,7,8,
10,12,14,16,18,20,22,24,26,28,30,
32,34,36,38,40,42,44,46,48,50kg



DRAX Fixed Barbells
CPU. 10,15,20,25,30kg (Straight Bar & Curl Bar 2 types)









DRAX PUREPLATE SERIES


PRODUCT SPECIFICATION











PPRP - 101

ROTARY PULLDOWN

Product Specification

- Movement Trajectory : Outer-Upper to Inner-Lower
- Grip : Parallel & Wide Grip
- Proven optimal movement trajectory considering the natural movement of the scapula and humerus
- Space-efficient size
- Leverage loading that combines the advantages of Pin
 Loaded and Plate Loaded

Dimension

1086.9 x 1250.9 x 2044.6 mm (W x L x H)

Weight

130 Kg

DRAX PUREPLATE

DRAX PURE PLATE





PPHP **102**

DRAX PUREPLATE

PPHR - 102

HIGH ROW

Product Specification


- Movement Trajectory : Anterior-Upper to Posterior-Lower
- Grip : Free Motion Grip
- Optimal motion trajectory with proven resistance design that guides maximum relaxation and contraction of latissimus dorsi muscle
- Space-efficient size
- Leverage loading that combines the advantages of Pin
 Loaded and Plate Loaded


Dimension

1242.8 x 1940.3 x 2040.4 mm (W x L x H)

Weight

DRAX PURE PLATE





DRAX PUREPLATE

PPFR - 103

FRONT ROW

Product Specification

- Movement Trajectory : Anterior to Posterior
- Grip : Multi Grip
- Optimal muscle stimulation through various grips
- Optimal seat position with adjustable footrest and chest pad
- Optimal motion trajectory with proven resistance design
- Space-efficient size

Dimension

1374.3 x 1401.8 x 1256 mm (W x L x H)

Weight







PPLR - 104

LOW ROW

Product Specification

- Movement Trajectory : Anterior-Lower to Posterior-Upper
- Grip : Parallel Grip
- Optimal motion trajectory for back thickness advancement
- Space-efficient size
- Leverage loading that combines the advantages of Pin

Loaded and Plate Loaded

Dimension

1381.9 x 1449.5 x 1653.5 mm (W x L x H)

Weight

DRAX PURE PLATE





PPCP - 105

CHEST PRESS

Product Specification


- Movement Trajectory : Lateral-Medial to Anterior
- Grip : Parallel & Standard Grip
- Ergonomic design for the best trajectory of the chest muscles
- Space-efficient size
- Leverage loading that combines the advantages of Pin
 Loaded and Plate Loaded

Dimension

1205.1 x 1230.3 x 1817.3 mm (W x L x H)

Weight







PPSP **106**

DRAX PUREPLATE

PPSP - 106

SHOULDER PRESS

Product Specification

- Movement Trajectory : Lateral-Medial to Upper
- Grip : Parallel & Standard Grip
- Ergonomic design for stable movement of shoulder joint
- Optimal seat position with adjustable backrest and saddle
- Space-efficient size

Dimension

1540.7 x 1325.5 x 1282 mm (W x L x H)

Weight







DRAX PUREPLATE

PPVS - 107

V-SQUAT

Product Specification

- Movement Trajectory : Arc
- Ergonomic design for stable movement
- Optimal position Design
- Space-efficient size

Dimension

1892 x 1261 x 1723 mm (W x L x H)

Weight